Annual Drinking Water Quality Report - 2007

MATTOON

IL0290250

Annual Water Quality Report for the period of January 1 to December 31, 2007

This report is intended to provide you with important information about your drinking water and the efforts made by the MATTOON water system to provide safe drinking water. The source of drinking water used by MATTOON is Surface Water.

For more information regarding this report contact:

Jim Lang, Water Treatment Plant Superintendent

Phone: 234-2454

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

Source of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and groundwater wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Source Water Assessment

A Source Water Assessment summary is enclosed for your convenience.

Illinois EPA considers all surface water sources of public water supply to susceptible to potential pollution problems. Hence the reason for mandatory treatment of all public water supplies in Illinois. Mandatory treatment includes coagulation, sedimentation, filtration and disinfection. Primary sources of pollution in Illinois lakes can include agricultural runoff, land disposal (septic systems) and shoreline erosion. Under CWA Section 319, U.S. EPA provides grants for the Illinois EPA to finance projects that demonstrate cost-effective solutions to NPS problems and promote public knowledge and awareness of non point source (NPS) pollution. Section 319 projects funded for Lake Mattoon and Lake Paradise Watersheds include: • Total Maximum Daily Load Development - The Illinois EPA will develop Total Maximum Daily Loads (TMDLs) and implementation plans for each pollutant within thirteen (13) watersheds on the 303(d) list through computer modeling. The thirteen (13) watersheds are also Category 1 watersheds in the Unified Watershed Assessment. For each watershed, computer models will be used to identify a distribution of pollutant loading (allocation) that can be expected to result in the attainment of water quality standards. The methodologies used for TMDL development will be documented. Modeling results will be used to support the development of implementation plans for TMDL attainment. In order to help farmers in adopting sound agricultural practices the Illinois Council on Best Management Practices (C-BMP) was formed. The Council is a coalition of agribusiness and agricultural producer organizations with the support of the University of Illinois Extension and serves as a clearinghouse on current research to protect water quality in Illinois. The Council also provides information and support to local watershed groups to help implement sound water quality initiatives and can offer educational assistance and help facilitate the technical and financial resources needed to carry out water quality objectives. For more information on C-BMP contact Dr. George Czapar, Springfield Extension Center, P.O. Box 8199, Springfield, IL 62791, email: q-czapar@ujuc.edu, For more information on BMPs, please refer to the web site at http://www.ctic.purdue.edu, as well as A Guide to Illinois Lake Management available from Illinois EPA. The Illinois Agronomy Handbook should also be used as guidance in implementing BMPs. In a national effort to ensure adequate protection against groundwater contamination from the herbicide atrazine, U.S. EPA made significant changes to the atrazine use label in 1990. It is a violation of law to apply, mix, or load atrazine within 50 feet of any well, including water wells, irrigation wells, livestock water wells, abandoned wells or sinkholes. In 1992, the atrazine label was further amended to protect surface waters by requiring a 200 foot application setback for lakes and reservoirs. In addition, there is a 66 foot setback from any point where field surface water runoff enters a stream or river. A concerted effort to incorporate best management practices for atrazine applications is on-going, an atrazine BMP document is available from Novartis Crop Protection, or by contacting the Illinois Fertilizer & Chemical Association at (800) 892-7122. In an effort to minimize the impact of livestock facilities on water resources on a statewide basis, livestock facilities are now regulated under the Livestock Management Facilities Act. This legislation is designed to keep Illinois' livestock industry productive and environmentally responsible by establishing requirements for design, construction, operation and management of livestock facilities and wastehandling structures. Detailed information on the Livestock Management Facilities Act may be found at the website http://www.agr.state.il.us. In addition, further watershed protection efforts and priorities of the Illinois EPA, Illinois Department of Agriculture, Illinois Department of Natural Resources, U. S. Department of Agriculture's Natural Resources Conservation Service, U.S. Army Corps of Engineers, and The Nature Conservancy are described and illustrated at the web site http://www.epa.state.il.us/water/unified-watershed-assessment/index.html.

2007 Regulated Contaminants Detected

Lead and Copper Date Sampled: 12/31/2005

Definitions:

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALG's allow for a margin of safety.

Lead MCLG	Lead Action Level (AL)	Lead 90th Percentile	# Sites Over Lead AL	Copper MCLG	Copper Action Level (AL)	Copper 90th Percentile	# Sites Over Copper AL	Likely Source of Contamination
0	15 ppb	2.8 ppb	0	1.3 ppm	1.3 ppm	0.077 ppm	0	Corrosion of household plumbing systems; Erosion of natural deposits

Water Quality Test Results

Definitions: The following tables contain scientific terms and measures, some of which may require explanation. Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCL's are set as close to the Maximum Contaminant Level Goal as feasible using the best available treatment technology. Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.mg/l: milligrams per litre or parts per million - or one ounce in 7,350 gallons of water.ug/l: micrograms per litre or parts per billion - or one ounce in 7,350,000 gallons of water.na: not applicable. Avg: Regulatory compliance with some MCLs are based on running annual average of monthly samples. Maximum Residual Disinfectant Level (MRDL): The highest level of disinfectant allowed in drinking water. Maximum Residual Disinfectant Level Goal (MRDLG): The level of disinfectant in drinking water below which there is no known or expected risk to health. MRDLG's allow for a margin of safety.

Regulated Contaminants

Disinfectants & Disinfection By- Products			ection ate	_	st Level ected	Range o	of Leve	els	MCL	G	MCL	Units	Violation	Likely Source Of Contaminant
Total Haloacetic Acids (H	AA5)	10/2	3/2007	2	22	5.6	- 22		N/A		60	ppb	No	By-product of drinking water chlorination
TTHMs [Total Trihalomet	hanes]	10/	23/07	51	.72	17.81	- 51.72	2	N/A		80	ppb	No	By-product of drinking water chlorination
Chloramines		12/	31/07		.7		- 1.7		MRDLG=4 MRDL			ppm	No	Water additive used to control microbes
Inorganic Contaminants	Collect Date		Highes Dete	t Level cted	Range o Dete	f Levels cted	MCLG	мсі	Units	Viol	ation	Likely Source Of Contaminant		
Barium	1/23/2	2007	0.0	03	Not App	olicable	2	2	ppm	N	M()	_		g wastes; Discharge from metal of natural deposits
Fluoride	1/23/2	2007	0.9	95	Not App	olicable	4	4	ppm	N				leposits; Water additive which eth; Fertilizer discharge
Nitrate (As N)	1/23/	2007	6.	.5	0.011	- 6.5	10	10	ppm	N	พก เ			er use; Leaching from septic sion of natural deposits
Nitrite (As N)	5/24/2	2006	0.	15	Not App	olicable	1	1	ppm	N	พก เ			er use; Leaching from septic sion of natural deposits

pesticides and herbicides) Simazine Collection Date Date Detected Detected Range of Levels Detected MCLG MCL Units Violation Likely Source Of Contaminant O46 O46 O46 Range of Levels Detected MCLG MCL Units Violation Likely Source Of Contaminant No Runoff from herbicide used on row crops	Synthetic Organic	Callantia	115-b1	Dawn of Lovels							
Simazine	•		Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source Of Contaminant		
	Simazine	3/29/2007	.46	046	4	4	ppb	No			

State Regulated Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source Of Contaminant
Sodium There is not a state or federal MCL for sodium. Monitoring is required to provide information to consumers and health officials that are concerned about sodium intake due to dietary precautions. If you are on a sodium-restricted diet, you should consult a physician about this level of sodium in the water.	1/23/2007	6.1	Not Applicable	N/A	N/A	ppm	No	Naturally occuring; discharge from metal factories

Note: The state requires monitoring of certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Therefore, some of this data may be more than one year old.

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Turbidity

Limit (Treatment Technique)	Lowest Monthly % meeting limit	Violation	Source
0.3 NTU	100.00	No	Soil Runoff
Limit (Treatment Technique)	Highest Single Measurement	Violation	Source
1 NTU	0.24	No	Soil Runoff

Information Statement: Turbidity is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of our filtration system and disinfectants.

Total Organic Carbon

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set by IEPA, unless a TOC violation is noted in the violations section.

2007 Violation Summary Table:

This table is intended to assist you in the identification of year 2007 violation(s) that are required to be reported and explained in your CCR. The table does NOT include the required explanation of the noted violation(s) and you will need to provide this information as explained in the CCR Guidance Manual.

Rule or Contaminant	Violation Type	Violation Duration		
ATRAZINE Failure to collect the required number of samples	MONITORING, ROUTINE MAJOR	1/1/2007 To 3/31/2007		

MATTOON TOOK THE FOLLOWING ACTIONS IN RESPONSE TO THIS VIOLATION: Received simazine result on time but lab didn't send atrazine result until 4/12/2007. The city sampled at the correct time but the contracted lab sent the atrazine result to the IEPA two days after the required date. The lab assured the city all future results will be processed in a timely manner. The sample met all required standards.